

21/8/24.

Date : _____

chapter NO: 3

Metals and Non metal

- All the elements and their large number of compound are very important in our every day life.
- At present about 118 chemical elements are known. on the basis of their properties all of them can be divided into two main groups.
 - i] Metals
 - ii] Non-metals
- Apart from these some element show property of both metals and non metal. They are called metalloids.

* Metals:

- Those element which form from positive ion by losing electrons are called metals.

- Physical property of metal

1) Metallic lusture

2) ductile

3) Malleable

4) Hard

5) ~~are~~ good conductor of electricity

6) Sonorous.

Note

Mercury is exception
it is in liquid state
in room temp

* chemical properties of metal:

different chemical property of metal are as follows.

9


i) Reaction of metal with oxygen:
[Burning in air is order to form oxide]

- metal react with oxygen to produce metal oxide

- almost all the metal forms their metal oxide.


✓ metal + oxygen $\rightarrow$ metal oxide

Example:



[aluminium] [oxygen]

[aluminium oxide]



* [copper] [oxygen]

[copper oxide]

- Some Exception:



Some metal oxides such as Al_2O_3 and ZnO show both acidic and basic behaviour such metal oxide acid as well as bases to produce a salt and water and are called amphoteric oxides.

Example:



- metal oxides are insoluble in water but some of these dissolve in water to form hydroxide known as alkali

Eg:



- order of Reactivity of metals with oxygen.

- different metal react with oxygen at different rates as (Na) sodium and (K) potassium are reacting very vigorously with oxygen as they catch fire if left in open. hence these are most reactive metal.

- To prevent this the surfaces of magnesium and aluminium are covered with oxides which prevent metal from further oxidation



- Zn (Zinc) burns only on strong heating while iron (Fe) do not copper (Cu) does not burn on heating but blister copper burns, silver and gold do not react with oxygen.

- we can conclude from above
 $\text{Na} > \text{Mg} > \text{Zn} > \text{Fe} > \text{Cu} > \text{Ag}$

ii) Reaction of metals with water:

Metal react with water to form/produce metal oxide and hydrogen gas. Metal oxide that are soluble in water dissolves in it further to form metal hydroxide (not all metals)

Metals + water $\rightarrow$ metal oxide + Hydrogen
 Metal oxide + water $\rightarrow$ metal hydroxide
 Example:




etc.

iii) Reaction of metal with acids.

~~React~~ Except a few less reactive metal such as [Cu, Ag, Au, Pt etc.] all acid react with acid to produce salt and hydrogen gas.



Metal + acid $\rightarrow$ salt + $H_2 \uparrow$

Eg:



iv] Reaction of metal with solution of other metal salts:

- Reactive metal can displace a comparatively less reactive metal from its compounds in aqueous salt solution or in molten form. General equation is,



* Reactivity series *

The reactivity series of metal is a list of metal arranged in order of decreasing activity on the basis of their relative tendency to lose electrons and their reactive nature.

K	
Na	
Ca	
Mg	
Al	
Zn	
Fe	
Sn	
Pb	
H	
Cu	
Hg	
Ag	

* Non-metals *

those elements which forms negative ions by gaining electrons are called non-metals. e.g. iodine, sulphur, oxygen, hydrogen etc. The non-metals are either solid or gas except Bromine which is liquid.

- Physical properties :-


- non-malleable
- non-ductile
- non-lustrous
- non-sonorous
- poor-conductor of heat and electricity
- have low melting and boiling.

* Chemical properties of Non-metal


- Non-metal do not react with water, steam or dilute acids to evolve Hydrogen gas.

Reason

They act as an electron acceptor and cannot supply electrons of the H^+ ions of acid to reduce them to hydrogen gas.



- Non-metal show displacement reaction like metal.



Note
most of the non-metal
produce acidic oxide.

* Reaction between Metals and Non-metals (Formation of ionic Bonds) *


- for stability each electron need 8 electron in its outermost shell




- Metals have tendency to loose electrons to form cations and non-metals have tendency to gain electron to form anions

- when metals and non-metals react with each other then both of them tries to achieve completely filled outermost shell by transfer of electron

* electron-dot structure *

i) ~~MgCl₂~~



ii) $AlCl_3$ iii) $NaCl$ 

* Properties of ionic compounds.

- Ionic compounds are hard crystalline solid because of strong force of attraction between positive and negative ions.
- These compounds have high melting and boiling points as large amounts of energy is required to break strong inter-ionic attraction.

- The compounds are soluble ~~have~~ high in water (polar-solvent) and insoluble in organic solvents (non-polar solvents) like kerosene, benzene, ether, petrol.
- conduction of electricity through a solution involves movement of charged particle. Ionic or electrovalent compound are good conductors of electricity. but the conduct electricity either in molten state or aqueous solution.

* Occurrence of Metal. *

- The earth's crust is the major source of metal. sea water also contain salts like sodium chloride and Magnesium chloride.
- The elements or compound which occur naturally in the earth crust are known as mineral.

* Extraction of Metals :


The process of obtaining the metal in their pure form from earth's crust ~~are~~^{is} called extraction of metals.

depends upon.

Metal of low reactivity


Metal of medium reactivity

Metal of high reactivity



IMP

i] Extraction of less reactive metal

- cinnabar: it is an ore of mercury when heated in air it first changes into its oxide i.e. HgO and then reduce to mercury metal after further heating.



- copper glance : when heated in air partially get oxidised and then the oxidised product react with remaining copper glance to give copper metal



ii) Extraction of medium reactive metal

- Roasting
- calcination
- reduction of oxide ore

iii) Extraction of high reactive metals

- electrolysis of their molten state

* corrosion

it is the slow process of eating away of metals by the reaction of atmospheric air and ~~pressure~~ and moisture
eg: rusting of iron

- Prevention of corrosion
- Galvanisation
- alloying
- Painting
- Greasing or oiling
- Tin or Chromium plating